The New Standard in Mail Production

















The New Standard in Mail Production



Ease-of-use and Intelligence from Start to Finish

The large 22" graphical Integrated Mail Operating System (IMOS) interface reaches new heights in user friendliness and job programming. While programming the application, the system suggests how to load the system for optimal performance.

Changing over to completely different jobs just takes minutes. To ease the learning, the user interface contains context-sensitive help on every screen. Furthermore, to maximize system uptime, the user interface features Remote Assistance enabling Neopost support specialists to connect to the system.


Automate Your Document Preparation

Neopost's Output Management Software (OMS) can add value to your documents.



OMS solutions allow enhanced document formatting, personalization, grouping, printing, intelligent barcoding, secure inserting and addressing of your documents.

OMS, AIMS and IMOS work seamlessly together to meet all your business' critical communications requirements.



In-line Dynamic Envelope Printing (DEP) Enhances Customer Information and Security

The DS-200i fully integrated direct impression envelope printing solution allows you to personalize envelopes as part of the mail assembly process. This eliminates the need for window envelopes and ensures the privacy of important customer information.


When printing in matched mode, each document is recorded by the folder inserter at input. Once the documents have been folded and inserted, the secure system prints the matched name and address on the closed-face envelope.

This process ensures integrity and security, allowing sensitive information to remain confidential.



5. Feeder linking

Continuous operation is achieved by cascade feeding. If one feeder runs empty, another one takes over.



Flexible Document Feeding

The Flex Tower Folder comes in three feeder configurations to suit individual needs.

Each has a total capacity of up to 2,000 sheets and can be made up in combinations of 500 or

1,000 sheet feeders.

Documents can be loaded in a portrait style for folding, or in landscape for larger envelopes.

For secure feeding of a wide variety of printed paper, the feeders use mechanical doubles detection.

Every tower can read both paper sides for maximum compatibility with existing applications.

Each scanner supports OMR, BCR and 2D Data Matrix reading types.

The barcode location is automatically detected from the first sheet read.



Full Modularity Configure the DS-200i to match your needs



Full Content Control and Security You Can Rely On



Neopost's exclusive CIS scanning device can read any type of coding,

including OMR 1 and 2 tracks, 1D barcodes and 2D Data Matrix. With this technology, the code can be printed anywhere on the document, providing the flexibility to fulfill any layout requirement.

Visibility and Integrity

Businesses today face a multitude of regulatory issues and customer demands to guarantee the integrity of business communications.



The integrated AIMS-100 software will provide you with a real-time dashboard enabling you to zoom in on all mail sets and document details.

The optional AIMS-500 software harnesses the integrated integrity application built into Neopost's IMOS to deliver complete process verification. Its fast verification capability confirms that every piece of mail in your job has been processed accurately, providing complete closed loop, piece-level integrity. In addition, Neopost can employ its Output Management Software (OMS) to enhance the complete closed loop validation process.

Processing speed Accumulation speed (multiple sheets) Frouch screen PC control Automatic settings Document feeder capacity Hand feeding Multiple sheet feeding Cascade from feeders Divert bin for documents Automatic double detection Automatic document measurement Fold types Envelope types #10, 6 x 9.5, 9 x 12, 10 x 13 Up to 7,800 sheets/hour Standard 22" monitor Standard Up to 1,000 Envelope feeder capacity Up to 800 Standard Standard No limitation Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z ∠ ≪ Folding capacity Envelope types #10, 6 x 9.5, 9 x 12, 10 x 13
Accumulation speed (multiple sheets) Up to 7,800 sheets/hour Touch screen PC control Automatic settings Document feeder capacity Up to 1,000 Envelope feeder capacity Up to 800 Hand feeding Standard Multiple sheet feeding Cascade from feeders Divert bin for documents Job memory Automatic double detection Automatic document measurement Fold types Folding capacity Up to 7,800 sheets/hour Standard Up to 1,000 Up to 800 Standard Standard No limitation Standard Standard Standard Standard Letter, z-fold, single, double parallel, no fold △Z ∠ 《 Folding capacity Up to 8 sheets
Touch screen PC control Automatic settings Document feeder capacity Envelope feeder capacity Up to 1,000 Envelope feeder capacity Up to 800 Hand feeding Multiple sheet feeding Cascade from feeders Divert bin for documents Standard Job memory Automatic double detection Automatic document measurement Fold types Folding capacity Standard 22" monitor Standard Up to 800 Standard Standard No limitation Standard Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠ ←
Automatic settings Document feeder capacity Up to 1,000 Envelope feeder capacity Up to 800 Hand feeding Standard Multiple sheet feeding Cascade from feeders Divert bin for documents Standard No limitation Automatic double detection Automatic document measurement Fold types Folding capacity Standard Up to 8 sheets
Document feeder capacity Envelope feeder capacity Up to 800 Hand feeding Standard Multiple sheet feeding Cascade from feeders Divert bin for documents Job memory Automatic double detection Automatic document measurement Fold types Folding capacity Up to 1,000 Up to 800 Standard Standard No limitation Standard Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠ ← — Folding capacity Up to 8 sheets
Envelope feeder capacity Hand feeding Standard Multiple sheet feeding Cascade from feeders Divert bin for documents Job memory Automatic double detection Automatic document measurement Fold types Folding capacity Up to 800 Standard No limitation Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠ ← Up to 8 sheets
Hand feeding Multiple sheet feeding Cascade from feeders Divert bin for documents Standard Job memory No limitation Automatic double detection Automatic document measurement Fold types Folding capacity Standard Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠≪ Up to 8 sheets
Multiple sheet feeding Cascade from feeders Divert bin for documents Standard Job memory No limitation Automatic double detection Automatic document measurement Fold types Folding capacity Standard Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠≪ Up to 8 sheets
Cascade from feeders Divert bin for documents Standard No limitation Automatic double detection Automatic document measurement Fold types Folding capacity Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠≪ Up to 8 sheets
Divert bin for documents Standard No limitation Automatic double detection Standard (all feeders) Automatic document measurement Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠ ← Folding capacity Up to 8 sheets
Job memory Automatic double detection Automatic document measurement Fold types Folding capacity No limitation Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠≪ Up to 8 sheets
Automatic double detection Automatic document measurement Standard (all feeders) Letter, z-fold, single, double parallel, no fold $\triangle Z \angle &=$ Folding capacity Up to 8 sheets
Automatic document measurement Standard (all feeders) Letter, z-fold, single, double parallel, no fold △Z∠≪ Folding capacity Up to 8 sheets
Fold types $ \begin{array}{c} \text{Letter, z-fold, single, double} \\ \text{parallel, no fold } \angle Z \angle & _ \\ \text{Folding capacity} \\ \text{Up to 8 sheets} \\ \end{array} $
Fold types parallel, no fold $\triangle Z \angle \leftarrow$ Folding capacity Up to 8 sheets
Envelope types #10, 6 x 9.5, 9 x 12, 10 x 13
Set thickness Up to 6 mm
Document reading Face-up and face-down
Remote assistance Yes
Embedded job and statistical reporting Yes (AIMS-100)
Accumulate before folding Available
Options
Optical Mark Recognition (OMR) Available
Barcode Recognition (BCR) Available
2D Data Matrix Available
Envelope conveyor Available
In-line envelope printer Available
In-line metering Available
AIMS closed loop processing Available
System Dimensions Length x Depth x Height
DS-200i (3 module configuration) 107" x 25" x 36"
Weight 743 lbs.
Full modularity 1 to 11 feeders



We've Got You Covered

Neopost maintains a network of offices across the country to provide local customer support

and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Neopost office in your area consisting of a team of local professionals.

Why Choose Neopost?

Neopost is a global leader in mailing solutions, shipping services and digital communications. We believe that people are the key to business success. That's why our products and services are tailored to help your organization improve the quality of its interactions and bring people closer together.

In this age of multichannel communications, we guide and empower you to interact in new and innovative ways. We advise you on how to create cost-cutting synergies. We deliver global coverage with a strong local presence, offering you continual support by phone, onsite or online.

Today, Neopost is present in 31 countries and has a network of partners in more than 90 countries. We promote responsible business and sustainable development through our products and outreach programs. Our 6,200 employees worldwide are committed to making your interactions more responsive and more powerful – offering you a competitive edge that will open up a wealth of business opportunities.

Find out more at neopostusa.com



Neopost[®] and the Neopost logo are registered trademarks of Neopost S.A. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time.